



Brazil Inmetro 3 pins NBR 14136 Plug to IEC 60320 C13 Left Angle Connector, Brazil Power Supply Cords

Plug and Connector Type: N,C13
Brazil INMETRO 3 pins NBR 14136 plug to IEC 60320 C13 Left Angle Connector, Brazil Power Supply Cords with INMETRO Certified List.
Built to NBR 14136, IEC 60320 C13 standards.
Rated up to 10A 250V.

Our Brazil Inmetro 3 pins NBR 14136 Plug to IEC 60320 C13 Left Angle Connector, Brazil Power Supply Cords products are fully molded with a low profile ergonomic design and RoHS, REACH and PAHS compliant.

Brazil Inmetro Power Cords

Specifications

Label	Value
Connector Standard:	NBR 14136, IEC 60320 C13
Maximum Current rating:	10A
Maximum Voltage:	250V
Number of Poles and Wires:	3 poles, 3 wires
Copper Conductor Material:	Oxygen free Copper (OFCU)
Outer Jacket Material:	PVC, Rubber, Halogen-Free, Textile braid
Blade Material:	Nickel coated Brass
Flamability Rating:	UL 94V-0
Color:	black is standard but any color available
Temperature Rating:	minus 40C though plus 75C
Approvals:	INMETRO
Environmental Certifications:	RoHS, REACH, PAHs
Testing:	Hi-Pot (Dielectric Withstanding Voltage), Polarity (pinout) and Continuity
Packing:	Standard Export Carton

Available Wire Styles

Gauge/ # Conductors	Cord Type
3x0.5mm ²	H03VV-F, H05VV-F, H05RR-F, H05RN-F
3x0.75mm ²	H03VV-F, H05VV-F, H05RR-F, H05RN-F, H05V2V2-F
3x1.00mm ²	H05VV-F, H05RR-F, H05RN-F, H05V2V2-F
3x1.5mm ²	H05VV-F, H05RR-F, H05RN-F, H05V2V2-F, H07RN-F

Our other certificated products

