



## Russia EAC Power Cords

### **Russia Power Cords, CEE 7/16 Plug to IEC 60320 C7 Connector, Type C, 2 poles Plug, EAC, VDE, TUV Certified**

Plug and Connector Type: C  
Russia EAC, VDE, TUV 2 pins CEE 7/16 plug to IEC 60320 C7 Connector, Russia Power Supply Cords with EAC, VDE, TUV Certified List.  
Built to CEE 7/16, IEC 60320 C7 standards.  
Rated up to 2.5A 250V.

Russia Power Cords, 2.5A 250V, Type C Plug to IEC 60320 C7 Connector. The Russia AC Cords according to CEE 7/16 Standards with EAC, VDE, TUV certification. Non-Rewirable Plug 2 poles without Earthing Contact Moulded with Non-rewirable Flexible Cords. This Russia Two prong Power Cords match cable for general applications include Flexible cables with thermoplastic PVC Insulation and Flexible cables with crosslinked elastomeric Rubber Insulation in Russia market. Our Russia Power Cords Products are fully molded with a low profile ergonomic design and RoHS and Reach compliant.

### Specifications

Label	Value
Connector Standard:	CEE 7/16, IEC 60320 C7
Maximum Current rating:	2.5A
Maximum Voltage:	250V
Number of Poles and Wires:	2 poles, 2 wires
Copper Conductor Material:	Oxygen free Copper (OFCU)
Outer Jacket Material:	PVC, Rubber, Halogen-Free, Textile braid
Blade Material:	Nickel coated Brass
Flamability Rating:	UL 94V-0
Color:	black is standard but any color available
Temperature Rating:	minus 40C though plus 75C
Approvals:	EAC, VDE, TUV
Environmental Certifications:	RoHS, REACH, PAHs
Testing:	Hi-Pot (Dielectric Withstanding Voltage), Polarity (pinout) and Continuity
Packing:	Standard Export Carton

### Available Wire Styles

Gauge/ # Conductors	Cord Type
2x0.5mm <sup>2</sup>	H03VV-F, H03VVH2-F
2x0.75mm <sup>2</sup>	H03VV-F, H03VVH2-F, H05VV-F, H05VVH2-F, H05RR-F, H05RN-F
2x1.0mm <sup>2</sup>	H05VV-F, H05VV-F, H05RR-F, H05RN-F

### Our other certificated products



